

Spin part 3

From the previous section we have for the z direction

$$\Pr(+)=|\langle z_+|s\rangle|^2=\frac{1}{2}+\frac{1}{2}\cos\theta$$

$$\Pr(-)=|\langle z_-|s\rangle|^2=\frac{1}{2}-\frac{1}{2}\cos\theta$$

If $|s\rangle$ is not an eigenstate then the result of measuring $|s\rangle$ is a random value. For example, let $\theta=\pi/3$. Then $\cos\theta=\frac{1}{2}$ and the probabilities are

$$\Pr(+)=\frac{3}{4}$$

$$\Pr(-)=\frac{1}{4}$$

Expectation value is a useful statistic for analyzing stochastic data. The eigenvalues for spin measurement are $\pm\hbar/2$. Hence the expected value is

$$\left(+\frac{\hbar}{2}\right)\Pr(+)+\left(-\frac{\hbar}{2}\right)\Pr(-)$$

For state $|s\rangle$ such that $\theta=\pi/3$ the expected value in the z direction is

$$\left(+\frac{\hbar}{2}\right)\frac{3}{4}+\left(-\frac{\hbar}{2}\right)\frac{1}{4}=\frac{\hbar}{4}$$

Expected values are obtained from spin operators as

$$\langle S_x\rangle=\langle s|S_x|s\rangle\quad\langle S_y\rangle=\langle s|S_y|s\rangle\quad\langle S_z\rangle=\langle s|S_z|s\rangle$$

Returning to the example $\theta=\pi/3$ we have

$$|s\rangle=\begin{pmatrix}\frac{\sqrt{3}}{2} \\ \frac{1}{2}e^{i\phi}\end{pmatrix}$$

Hence the expected value in the z direction is

$$\langle S_z\rangle=\langle s|S_z|s\rangle=\begin{pmatrix}\frac{\sqrt{3}}{2} \\ \frac{1}{2}e^{-i\phi}\end{pmatrix}\cdot\frac{\hbar}{2}\begin{pmatrix}1 & 0 \\ 0 & -1\end{pmatrix}\begin{pmatrix}\frac{\sqrt{3}}{2} \\ \frac{1}{2}e^{i\phi}\end{pmatrix}=\frac{\hbar}{4}$$

Eigenmath script